

# CERTIFICATE

No. 036-03.102

Certificate Holder Holzwerk Gebrüder Schneider GmbH  
Kappel 28  
88436 Eberhardzell  
Germany

Manufacturing Plant Holzwerk Gebrüder Schneider GmbH  
Kappel 28  
88436 Eberhardzell

Product **Multitherm 110**

Test Specification European Insulation Keymark Scheme for  
Thermal Insulation Products 2.1:2019  
EN 13172:2012  
EN 13171:2012+A1:2015

Mark of Conformity



ID036  
2028-06-30

Certificate is valid until

Right of use



Stuttgart, 2024-07-01

This certificate entitles you to use the above conformity mark in connection with the above certificate number.

  
Dr.-Ing. Hasan Özkan  
Deputy head of Certification Body

  
Deutsche  
Akkreditierungsstelle  
D-ZE-11027-05-00

Annex to the Certificate No. 036-03.102

Product **Multitherm 110**

Reaction to fire class according to EN 13501-1 E  
Nominal Value of Thermal Conductivity  $\lambda_D = 0,039 \text{ Wm}^{-1}\text{K}^{-1}$   
Thickness 40 mm – 240 mm

Designation Code WF-EN 13171-T5-CS(10\Y)50-TR10-WS1,0-MU3-AFr30

Relevant Characteristics  
for the intended use as thermal insulating material of buildings (ThIB)

Symbol	Characteristic	Standard	Unit	Declaration
E	reaction to fire	EN 13501-1	--	E
$\lambda_D$	nominal value of thermal conductivity	EN 12667	$\text{Wm}^{-1}\text{K}^{-1}$	0,039
T	class of thickness tolerances	EN 823	--	5
CS(10\Y)	compressive stress at 10 % deformation	EN 826	kPa	50
TR	tensile strength perpendicular to faces	EN 1607	kPa	10
WS	short term water absorption	EN 1609	$\text{kg/m}^2$	1,0
MU	water vapour diffusion resistance factor	EN 12572	--	3
AFr	airflow resistivity	EN 29053	$\text{kPa}\cdot\text{s/m}^2$	30

Stuttgart, 2024-07-01

