

CERTIFICATE

No. 036-03.103

Certificate Holder Holzwerk Gebrüder Schneider GmbH
Kappel 28
88436 Eberhardzell
Germany

Manufacturing Plant Holzwerk Gebrüder Schneider GmbH
Kappel 28
88436 Eberhardzell

Product **Multitherm 140**

Test Specification European Insulation Keymark Scheme for
Thermal Insulation Products 2.1:2019
EN 13172:2012
EN 13171:2012+A1:2015

Mark of Conformity



ID036
2028-06-30

Certificate is valid until

Right of use

This certificate entitles you to use the above conformity mark in connection with the above certificate number.




Dr.-Ing. Hasan Özkan
Deputy head of Certification Body

 **DAkkS**
Deutsche
Akkreditierungsstelle
D-ZE-11027-05-00

Annex to the Certificate No. 036-03.103

Product **Multitherm 140**

Reaction to fire class according to EN 13501-1 E
Nominal Value of Thermal Conductivity $\lambda_D = 0,040 \text{ Wm}^{-1}\text{K}^{-1}$
Thickness 20 mm – 240 mm

Designation Code WF-EN 13171-T5-CS(10\Y)100-TR20-WS1,0-MU3-AFr50

Relevant Characteristics
for the intended use as thermal insulating material of buildings (ThIB)

Symbol	Characteristic	Standard	Unit	Declaration
E	reaction to fire	EN 13501-1	--	E
λ_D	nominal value of thermal conductivity	EN 12667	$\text{Wm}^{-1}\text{K}^{-1}$	0,040
T	class of thickness tolerances	EN 823	--	5
CS(10/Y)	compressive stress at 10 % deformation	EN 826	kPa	100
TR	tensile strength perpendicular to faces	EN 1607	kPa	20
WS	short term water absorption	EN 1609	kg/m^2	1,0
MU	water vapour diffusion resistance factor	EN 12572	--	3
AFr	airflow resistivity	EN 29053	$\text{kPa}\cdot\text{s/m}^2$	50

Stuttgart, 2024-07-01

