

# CERTIFICATE

No. 036-03.105

Certificate Holder	Holzwerk Gebrüder Schneider GmbH Kappel 28 88436 Eberhardzell Germany
Manufacturing Plant	Holzwerk Gebrüder Schneider GmbH Kappel 28 88436 Eberhardzell
Product	<b>Top 180</b>
Test Specification	European Insulation Keymark Scheme for Thermal Insulation Products 2.1:2019 EN 13172:2012 EN 13171:2012+A1:2015

Mark of Conformity



ID036  
2028-01-23

Certificate is valid until

Right of use

This certificate entitles you to use the above conformity mark in connection with the above certificate number.



Stuttgart 2024-01-24

Dr.-Ing. Hasan Özkan  
Deputy head of Certification Body



Deutsche  
Akkreditierungsstelle  
D-ZE-11027-05-00

Annex to the Certificate No. 036-03.105

Product **Top 180**

Reaction to fire class according to EN 13501-1 E  
Nominal Value of Thermal Conductivity  $\lambda_D = 0,043 \text{ Wm}^{-1}\text{K}^{-1}$   
Thickness 35 mm – 120 mm

Designation Code WF-EN 13171-T5-DS(70,-)3-CS(10\Y)150-TR30-WS1,0-MU4-AFr100

Relevant Characteristics  
for the intended use as thermal insulating material of buildings (ThIB)

Symbol	Characteristic	Standard	Unit	Declaration
E	reaction to fire	EN 13501-1	--	E
$\lambda_D$	nominal value of thermal conductivity	EN 12667	$\text{Wm}^{-1}\text{K}^{-1}$	0,043
T	class of thickness tolerances	EN 823	--	5
DS(70,-)	dimensional stability at 70°C	EN 1604	%	3
CS(10/Y)	compressive stress at 10 % deformation	EN 826	kPa	150
TR	tensile strength perpendicular to faces	EN 1607	kPa	30
WS	short term water absorption	EN 1609	$\text{kg/m}^2$	1,0
MU	water vapour diffusion resistance factor	EN 12572	--	4
AFr	airflow resistivity	EN 29053	$\text{kPa}\cdot\text{s/m}^2$	100

Stuttgart, 2024-01-24

