



Installation variants best wood GLULAM


Installation variants best wood GLULAM – CEILING 100–280 mm





Variant 0
Square edge




Variant 1
2 cm double groove and tongue
19 x 38 mm separate tongue



Variant 2
Standard rabbeting
23/51 mm
alternatively 28/51 mm




Variant 4
2 cm double tongue and groove
standard rabbeting
23/51 mm
alternatively 28/51 mm




Variant 5
19 x 38 mm separate tongue
standard rabbeting
23/51 mm
alternatively 28/51 mm

Variant descriptions best wood GLULAM – CEILING 100–280 mm



Variant I




Variant II


Installation variants best wood GLULAM – CEILING separated 45–95 mm




Variant 0
Square edge



Variant 2
19 x 38 mm
Thickness: 60–95 mm





Variant 3
standard rabbeting 23/51 mm
alternatively 28/51 mm
Thickness: 60–95 mm



1 cm double tongue and groove
Variant 6 Thickness: 45–59 mm
Variant 7 Thickness: 60–79 mm
Variant 8 Thickness: 80–99 mm


Installation variants planks for log houses/ceiling planks




1 cm double groove and tongue
Variant 7 Thickness: 60–79 mm
Variant 8 Thickness: 80–119 mm
Variant 9 Thickness: 120–159 mm
Variant 10 Thickness: 160–240 mm

Installation variants best wood CLT


Installation variants best wood CLT – CEILING 60–280 mm




Variant 0
Square edge




Variant 11
10 cm tongue and groove




Variant 12
9 x 30 mm separate tongue




Variant 13
Standard rabbeting
23/51 mm
alternatively 28/51 mm



Variant 14
Standard rabbeting
23/51 mm
10 mm tongue and groove
Thickness: 80–280 mm
alternatively 28/51 mm
Thickness: 90–280 mm




Variant 15
9 x 30 mm separate tongue
Standard rabbeting
23/51 mm
alternatively 28/51 mm
Thickness: 100–280 mm




Variant 16
Shiplap edge (half thickness/50 mm)
Thickness: 60–180 mm

Installation variants best wood CLT BOX


Installation variant best wood CLT BOX / CLT BOX – CEILING FS 220–490 mm




Variant 31
10 cm tongue and groove



Variant 32
9 x 30 mm separate tongue




Variant 34
10 mm tongue and groove
Standard rabbeting 23/51 mm
alternatively 28/51 mm




Variant 35
9 x 30 mm separate tongue
Standard rabbeting 23/51 mm
alternatively 28/51 mm


Installation variant best wood CLT BOX – CEILING open 160–490 mm




Variant 0
Square edge



Variant 41
10 cm tongue and groove




Variant 42
9 x 30 mm separate tongue




Variant 43
Standard rabbeting 23/51 mm
alternatively 28/51 mm

Installation variant best wood CLT BOX – ROOF 160–490 mm



Variant 23
Standard rabbeting
23/51 mm
alternatively 28/51 mm



Variant 26
Shiplap edge (half thickness/50 mm)